



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION III  
1650 Arch Street  
Philadelphia, Pennsylvania 19103-2029

E-mail and USPS

May 3, 2007

James F. Cronmiller, Director  
Corporate Environmental Affairs  
Gould Electronics Inc.  
34929 Curtis Boulevard, Suite 100  
Eastlake, OH 44095-4001

Re: Marjol Battery Site  
CMI Work Plan Approval

Dear Mr. Cronmiller:

EPA and PADEP have reviewed the CMI Work Plan revisions and response to comments submitted on March 23, 2007 and April 20, 2007 by AGC. The revised CMI Work Plan is approved, with the exception of Section 7.5, Institutional Controls. As you are aware, EPA Regional Counsel is still discussing that section with Gould's counsel.

The Marjol CMI Work Plan, submitted on July 21, 2006, therefore, is approved with the following revisions:

1. Pre-Design Investigation revisions submitted by AGC on August 23, 2006, and approved by EPA/PADEP on September 1, 2006;
2. Work Plan revisions submitted by AGC on March 23, 2007; and
3. revised XRF Standard Operation Procedures (Attachment B of the Sampling and Analysis Plan) submitted by AGC on April, 20, 2007.

If you would like to discuss this approval, please call me, at 215-814-3416.

Sincerely,

A handwritten signature in cursive script that reads "Maureen Essenthier".

Maureen Essenthier, Project manager  
PA Operations Branch 3WC22  
Waste & Chemicals Management Division

cc: Ronald Brezinski, PADEP NE Regional Office, with attachments  
Barbara Forslund, Advanced GeoServices Corp., with attachments